

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: GUY, John.

Confirmation No: 9515

Application No.: 10/687,677

Examiner: SHEN W. C. W.

Date Filed: October 17, 2003

Group: 1632

For: REDUCING CELLULAR DYSFUNCTION CAUSED BY MITOCHONDRIAL GENE
MUTATIONS

DECLARATION UNDER 37 C.F.R. §1.131
OF JOHN GUY

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

I, John Guy, hereby declare:

1. I am over the age of 21, and I am competent to make this Declaration based upon my personal knowledge. I understand that this Declaration will be used in the United States Patent and Trademark Office ("Patent Office") in connection with the above-identified patent application. I understand that this Declaration is being submitted in order to show that the invention claimed in the above-identified application was conceived in the United States before the following publications: Guy, Gene therapy for nuclear complementation of the G11778A LHON mitochondrial DNA mutation, *Neurology*, (April 24, 2001) Vol. 56, No. 8 Supplement 3, pp. A14. print. Meeting Info.: 53rd Annual Meeting of the American Academy of Neurology. Philadelphia, PA, USA. May 05-11, 2001. American Academy of Neurology. CODEN: NEURAL ISSN: 0028-3878; Guy et al., *Ann Neurol* 52(5): 534-42, 2002, published online October 11 2002; Guy et al., Gene therapy with the ND4 subunit gene recoded in the universal genetic code reverses a mitochondrial deficiency causing Leber Hereditary Optic Neuropathy

(LHON), *Neurology*, (April 9, 2002) Vol. 58, No. 7 Supplement 3, pp. A508. print. Meeting Info.: 54th Annual Meeting of the American Academy of Neurology. Denver, Colorado, USA. April 13-20, 2002. CODEN: NEURAL ISSN: 0028-3878.

2. I am the inventor who conceived and diligently pursued the above-referenced invention in the United States prior to the earliest publication dates of: Guy, Gene therapy for nuclear complementation of the G11778A LHON mitochondrial DNA mutation, *Neurology*, (April 24, 2001) Vol. 56, No. 8 Supplement 3, pp. A14. print. Meeting Info.: 53rd Annual Meeting of the American Academy of Neurology. Philadelphia, PA, USA. May 05-11, 2001. American Academy of Neurology. CODEN: NEURAL ISSN: 0028-3878); Guy et al., *Ann Neurol* 52(5): 534-42, 2002, published online October 11 2002; Guy et al., Gene therapy with the ND4 subunit gene recoded in the universal genetic code reverses a mitochondrial deficiency causing Leber Hereditary Optic Neuropathy (LHON), *Neurology*, (April 9, 2002) Vol. 58, No. 7 Supplement 3, pp. A508. print. Meeting Info.: 54th Annual Meeting of the American Academy of Neurology. Denver, Colorado, USA. April 13-20, 2002. CODEN: NEURAL ISSN: 0028-3878.

3. Attached as Exhibit A are copies of my laboratory notebooks date March 13, 2001 showing: (1) The completion of packaging of the nuclear encoded ND4 subunit with appended FLAG epitope into the viral vector after more than 1 year of work in constructing this approximately 1500 bases from overlapping 80 mer oligonucleotides. (2) Demonstration of ND4Flag expression by western immunoblotting of homogenates from infected cells. (3) Immunofluorescent microscopy of mitochondrial localization of ND4FLAG fusion protein using MitoTracker Red in transfected cell culture.

4. These documents demonstrate that I originally conceived and worked diligently since Feb 2000 to generate the nuclear encoded ND4 data of this patent application.

5. Attached as Exhibit A is a copy of the experiments conducted before the publication date of Guy, Gene therapy for nuclear complementation of the G11778A LHON mitochondrial DNA mutation, *Neurology*, (April 24, 2001) Vol. 56, No. 8 Supplement 3, pp. A14. print. Meeting Info.: 53rd Annual Meeting of the American Academy of Neurology. Philadelphia, PA, USA. May 05-11, 2001. American Academy of Neurology. CODEN: NEURAL ISSN: 0028-3878); Guy et al., *Ann Neurol* 52(5): 534-42, 2002, published online October 11 2002; Guy et al., Gene therapy with the ND4 subunit gene recoded in the universal genetic code reverses a mitochondrial deficiency causing Leber Hereditary Optic Neuropathy (LHON), *Neurology*, (April 9, 2002) Vol. 58, No. 7 Supplement 3, pp. A508. print. Meeting Info.: 54th Annual Meeting of the American Academy of Neurology. Denver, Colorado, USA. April 13-20, 2002. CODEN: NEURAL. ISSN: 0028-3878.

6. As indicated, the purpose of the experiments were (1) Construction and packaging of the nuclear encoded ND4 subunit with appended FLAG epitope into the viral vector. (2). Demonstration of ND4Flag expression by western immunoblotting of homogenates from infected cells. (3) .Immunofluorescent microscopy of mitochondrial localization of ND4FLAG fusion protein using MitoTracker Red in transfected cell culture. (4) Rescue of the defective respiration of cybrid cells containing mutated ND4 mitochondrial DNA. These experiments describe the claimed invention with sufficient specificity to enable a person having ordinary skill in the art to practice the claimed invention.

In re Application of: GUY, J.
Confirmation No: 9515
Application No.: 10/687,677

7. Attached as Exhibit B is a copy of the filing receipt of the Provisional patent application which indicates that I was diligent in applying for a patent application once I had reduced the invention to practice. The provisional application was filed on October 18, 2002 by the University of Florida and was awarded serial number 60/419,435.

8. In light of the above, I submit that reasonable diligence was exercised from the initial conception of the invention with continued efforts to diligently practice the invention as evidenced by the body of work, attached as Exhibit A. To the best of my knowledge, I initially conceived of the invention around 1997. I diligently proceeded towards reducing the invention to practice during the period from March 2000 through the filing of US Provisional Patent Applications: 60/271,073, filed February 23, 2001; US Provisional Patent Application 60/275,288, filed March 12, 2001; and, U.S. Patent Application No. 10/164,363 on June 6, 2002.

9. I further state that all statements made herein are true and that all statements made on information and experimental results under their experimental conditions are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Date: 10-05-07



John Guy, M.D.

EXHIBIT "A"

Virus (Buy & S)
ALON-8 250R
Kant/LNDY-F 250R

20x10¹³
20x10¹³

Fugate Transmitt. 100-100% there is over
5 FBS & 2% Red media.

3/13/61

minimizing AG-11



AG-11 100x diff. 3/14/61
B 113 + 8 km AG 100x



AG-11 100x
AG-11 100x
AG-11 100x

unstable media & ktd

3/14 100x



460p
800, 7100, 7160, 7100, all 5-33
large plasmid pg 4 #1

3/18/61

Wester shows
Wester blot 9 NDY-11 Fugate Transmitt.
control all 3 wells vs 3 wells control
same 100% diluting cell 100%.

3/24/61 (3) Immunoblot shows approx

NDY-11 NDY-12 NDY-13 Fugate
Fugate Transmitt. 100-100%
Fugate Transmitt. 100-100%
Fugate Transmitt. 100-100%

AG-11 100x

Fugate Transmitt. 100-100%

unlike (8u125)

ALON-8 250R 20x10¹³
(9u125) FNOY-F 250R 20x10¹³

fyge transtent; NQY-UT, toda in oven
5 pss fllh Ag out path.

3/13/01


mining Ag-11



Ag-11 fbr det 3/14
P 113 + 8 hns Ag 1001



Ag-11 5-3 891 1150, 1758, 4532
3-05 229



3/14

4600
2900, 2100, 2160, 2000 all 5-3
large placed per y #1

3/15/01

Wrote list of NQY-11 Fyge transtent
conclut NQY 3 wells vs 3 wells control
son + baw d Xro diluting cell 10000.

3/20/01

2004-11 NQY-12 NQY-6FF fyge
fyge mact 2004
sep mact 2004
2004-11 NQY-12 NQY-6FF fyge
fyge mact 2004
sep mact 2004
2004-11 NQY-12 NQY-6FF fyge
fyge mact 2004
sep mact 2004

at NT 4400 ph, mae #4 C10 mact

Fyge trans 3:1 NQY x 6 ucal




Fig 1. Illustration and immunoblotting of the PIND4FLAG construct in UF-11. Diagram showing the nuclear-encoded ND4 in AAV vector UF-11 (top). Cellular infection with this construct should result in the synthesis of a 52kD polypeptide, the molecular weight of the ND4Flag. (bottom) Western blot of ND4Flag-transfected G11778A cybrids (lanes 1–4) shows a 52kD band consistent with expression of the ND4Flag fusion polypeptide (lanes 2, 3), whereas the control (untransfected cells; lanes 5–8) shows no staining with the anti-FLAG antibody. Stained gel shows corresponding protein loading with successive 1 log unit dilutions (bottom half). Overloading of lane 1 by cellular protein is readily apparent by the absence of any discrete pattern of protein bands in the stained gel. This is in contrast with lane 2 in which discrete bands are best seen and the intensity of anti-Flag immunostaining was optimized. CMV = cytomegalovirus; TR = terminal repeat; CBA = chicken B actin.

cytoplasmic GFP in the same cell. Cells mock-transfected with AAV vector UF-11 driving GFP expression in the place of the PIND4Flag gene exhibited diffuse cytoplasmic staining of GFP only (see Fig 2H). Last, when ND4 with the Aldh MTS was linked to GFP, rather than to FLAG, the ND4GFP fusion did have a punctate staining pattern mimicking import into mitochondria (see Fig 2I), but relatively poor colocalization of GFP with MitoTracker Red (see Fig 2I) suggested this fusion protein was not imported.

Allopic ND4 Improves Cybrid Cell Survival

Although PIND4Flag was expressed and imported into mitochondria, would allopic complementation with this protein improve the defective oxidative phosphorylation of LHON? To answer this question, homoplasmic cybrid cells harboring mutant mtDNA (ie, 100% G11778A derived from a patient with LHON inserted into a neutral nuclear background) were transfected with AAV containing the PIND4Flag or mock-transfected with the same AAV plasmid lacking the allopic insert and expressing GFP (UF-11). Immediately after the transfection, cells were grown in glucose-rich media for 3 days and then placed in glucose-free

media containing galactose as the main carbon source for glycolysis. This media forces the cells to rely predominantly on oxidative phosphorylation to produce ATP.²⁷ Cells harboring complex I mutations have a severe growth defect compared with wild-type cells in such medium.²⁶ We found that cybrid cell survival after 3 days in the glucose-deficient galactose media was threefold greater for the allopically transfected PIND4Flag cybrids than were the cybrids transfected with the mock AAV ($p < 0.001$; Fig 3A). Apparently, in the mutated cybrids this selection enriched for cells that expressed higher levels of PIND4Flag, suggesting these cells likely had improved oxidative phosphorylation.

Oxidative Phosphorylation Deficiency Rescued by Allopic ND4

Consistent with the finding that spectrophotometric assays of complex I activity do not discriminate between wild-type cells and G11778A mutant cybrids,^{9–11,28,29} transfection with PIND4Flag did not increase complex I activity (see Fig 3B). These results are in accord with published observations that the impact of the G11778A LHON mutation on complex I-specific activity in cell




Figure 2

ORIGINAL ARTICLES

Rescue of a Mitochondrial Deficiency Causing Leber Hereditary Optic Neuropathy

John Guy, MD,^{1,2} Xiaoping Qi, MD,¹ Francesco Palloni, MD, PhD,³ Eric A. Schon, PhD,⁵
Giovanni Manfredi, MD,⁴ Valerio Carelli, MD, PhD,² Andrea Martinuzzi, MD, PhD,⁶
William W. Hauswirth, PhD,^{1,7} and Alfred S. Lewin, PhD⁷

A G to A transition at nucleotide 11778 in the ND4 subunit gene of complex I was the first point mutation in the mitochondrial genome linked to a human disease. It causes Leber Hereditary Optic Neuropathy, a disorder with oxidative phosphorylation deficiency. To overcome this defect, we made a synthetic ND4 subunit compatible with the "universal" genetic code and imported it into mitochondria by adding a mitochondrial targeting sequence. For detection we added a FLAG tag. This gene was inserted in an adeno-associated viral vector. The ND4FLAG protein was imported into the mitochondria of cybrids harboring the G11778A mutation, where it increased their survival rate threefold, under restrictive conditions that forced the cells to rely predominantly on oxidative phosphorylation to produce ATP. Since assays of complex I activity were normal in G11778A cybrids we focused on changes in ATP synthesis using complex I substrates. The G11778A cybrids showed a 60% reduction in the rate of ATP synthesis. Relative to mock-transfected G11778A cybrids, complemented G11778A cybrids showed a threefold increase in ATP synthesis, to a level indistinguishable from that in cybrids containing normal mitochondrial DNA. Restoration of respiration by allopic expression opens the door for gene therapy of Leber Hereditary Optic Neuropathy.

Ann Neurol 2002;52:534-542

A G to A transition at nucleotide 11778 in mitochondrial DNA (mtDNA) in the gene specifying the ND4 subunit of complex I results in an arginine to histidine substitution at amino acid 340. It was the first mtDNA point mutation linked to a maternally inherited human disease, Leber hereditary optic neuropathy (LHON), a disorder blinding patients during the second and third decades of life. Since this discovery 14 years ago,¹ more than 30 other pathogenic point mutations in human polypeptide-coding mtDNA genes have been described. Although mtDNA encodes 13 of the proteins needed for oxidative phosphorylation, the remainder are nuclear-encoded proteins that are synthesized on cytoplasmic ribosomes and are imported into the mitochondria, usually directed by an N-terminal mitochondrial targeting presequence.² Thus, mutations in either mtDNA or nuclear DNA may impair mitochondrial function, resulting in human disease.³

Of all mitochondrial diseases, LHON is the most common.⁴ Three mtDNA mutations (G3460A, G11778A, and T14484C) account for 95% of LHON cases, with

the G11778A mutation being the most common, accounting for 50% of LHON cases.^{4,5} Each LHON mutation affects a different subunit of the nicotinamide adenine dinucleotide:ubiquinone oxidoreductase (complex I) in the oxidative phosphorylation pathway, where electrons first enter the electron transport chain.⁶ This large enzyme consists of seven subunits (ND1, 2, 3, 4, 4L, 5, and 6) encoded by mtDNA whereas the remaining 35 subunits are nuclear encoded.⁷ Mitochondrial oxidative phosphorylation deficiency due to mutations in complex I subunit genes is believed to play a pivotal role in development of LHON, although the precise pathophysiological events precipitating acute visual failure and cellular injury remain elusive. Each LHON mutation alters mtDNA-encoded intrinsic complex I membrane proteins, but surprisingly the standard spectrophotometric assays of complex I activity in LHON cells containing the G11778A mutation in the ND4 subunit gene are reduced slightly.⁸⁻¹¹ Only the G3460A mutation in the ND1 subunit gene reduces complex I activity markedly.^{9,11,12} However, clear evidence of complex I defi-

From the Departments of ¹Ophthalmology and ²Neurology, University of Florida College of Medicine, Gainesville, FL; ³Department of Neurology and Genetics and Development, Columbia College of Physicians and Surgeons; ⁴Departments of Neurology and Neuroscience, Cornell University, New York, NY; ⁵Department of Neurological Science, University of Bologna, Bologna, Italy; ⁶Medea Scientific Institute, Cotegiano Research Center, Cotegiano, Italy; and ⁷Department of Molecular Genetics and Microbiology, University of Florida College of Medicine, Gainesville, FL.

Received Apr 11, 2002, and in revised form Jun 20. Accepted for publication Jul 1, 2002.

Address correspondence to Dr. Guy, Neuro-Ophthalmology Service, Box 100284, University of Florida, College of Medicine, Gainesville, FL 32610. E-mail: neup@att.net

**EXHIBIT "B"**

Commissioner for Patents
Washington, DC 20231
www.uspto.gov

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FL FEE REC'D	ATTY DOCKET NO	DRAWINGS	TOT CLAIMS	IND CLAIMS
60/419,435	10/18/2002		80	5853-324	3		

CONFIRMATION NO. 2175

Stanley A. Kim, Ph.D., Esq.
Akerman, Senterfitt & Eidson, P.A.
222 Lakeview Avenue, Suite 400
P.O. Box 3188
West Palm Beach, FL 33402-3188

FILING RECEIPT

OC00000009177876

Date Mailed: 12/02/2002

Receipt is acknowledged of this provisional Patent Application. It will not be examined for patentability and will become abandoned not later than twelve months after its filing date. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

John Guy, Gainesville, FL;

If Required, Foreign Filing License Granted: 11/29/2002

Projected Publication Date: None, application is not eligible for pre-grant publication

Non-Publication Request: No

Early Publication Request: No

**** SMALL ENTITY ******Title**

Reducing cellular dysfunction caused by mitochondrial gene mutations

LICENSE FOR FOREIGN FILING UNDER
Title 35, United States Code, Section 184
Title 37, Code of Federal Regulations, 5.11 & 5.15

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Office of Export Administration, Department of Commerce (15 CFR 370.10 (j)); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).